

INSTRUMATIC



INSTRUMATIC Portable hardness tester









Features

The large clearly marked dials on this type of instruments covers a full range of hardness values in Vickers, Brinell, Rockwell A, B, C, and Kp/mm² according to the British, American and German specifications.

The instrument

The system is entirely mechanical employing the use of special preloaded springs which provide a load of about 15kg to the diamond. Maximum penetration of the diamond into the specimen is 0.125mm (.005").

Operation and use

The simplicity of the tester enables it to be used in almost any direction, (preferably vertically), without affecting accuracy. It can be used 'on site'. The grips are depressed to the fullest extent by using the palms of the hands and the hardness value can be read off the appropriate scale.

Diamond indentor

The instrument does not require any regular servicing. Should the diamond indentor become damaged, a new indentor can simply be fitted using the small tool supplied with the instrument.

• Precision bench stand

Bench stand with vee base for round parts, available as an option.

	• • • • •
lechnical	specifications

Code No.		Scale	Range	
POR0002	No 2	Rockwell A	40 - 85	
		Rockwell B	50 - 100	
		Rockwell C	20 - 70	
POR0003	No 3	Vickers Pyramid	100 - 1000	
		Brinell	100 - 400	
		Rockwell B	50 - 99	
		Rockwell C	20 - 70	
POR0006	No 6	Brinell	40 - 300	
		Vickers Pyramid	40 - 300	
PBS0001		Precision bench stand		

Standard delivery

- Instrument
- UKAS Reference hardness block
- Case
- Adjuster key
- INNOVATEST® certificate
- Manual

Optional accessories

- Adjuster bush
- Spare plastic box
- Spare diamond indentor
- Precision bench stand

Order details

INSTRUMATIC PBS0001

Fully mechanical instrument with various scales available

Precision bench stand (optional)

Represented by:

IN10-149 191214

CORPORATE HEAD OFFICE

INNOVATEST Europe BV MANUFACTURING, DISTRIBUTION & SERVICE

Borgharenweg 140

6222 AA Maastricht (The Netherlands)

Phone: +31 43 3520060 +31 43 3631168 Fax:

E-mail: info@innovatest-europe.com Website: www.innovatest-europe.com

BRANCHE OFFICES

INNOVATEST Benelux BVBA SALES & SERVICE

Phone: +32 12 779002 +32 12 779003 Fax:

E-mail: info@innovatest-benelux.com Website: www.innovatest-europe.com

INNOVATEST Shanghai Co., Ltd. ASIA & CHINA SALES & SERVICE

Building 2, No.123, 1165 Nong Jindu Road,

South Metropolis Industrial Park

Minhang District, Shanghai, P.R. China

Zip code: 201108

E-mail: info@innovatest-shanghai.com Website: www.innovatest-shanghai.com Changes in products and/or product specifications can emerge due to new technologies and continuous development.

We reserve the right to change or modify specifications of products without prior notice.

We recommend you to contact our sales office for up-to-date information.

© All rights reserved